

CORRECTION

Correction: Evaluation of nanohardness, elastic modulus, and surface roughness of fluoride-releasing tooth colored restorative materials

Zehra Güner^{1,*}, Hazal Deniz Köse²¹Department of Pediatric Dentistry, School of Dentistry, Gaziantep University, 27310 Gaziantep, Turkey²Department of Restorative Dentistry, School of Dentistry, Hatay Mustafa Kemal University, 31060 Hatay, Turkey***Correspondence**zehraguner@gantep.edu.tr (Zehra Güner)**Error in Funding**

In the article titled “Evaluation of nanohardness, elastic modulus, and surface roughness of fluoride-releasing tooth colored restorative materials” [1], the funding information was incorrectly stated as “This research received no external funding.”

The correct funding statement is:

Funding: This study was supported by Hatay Mustafa Kemal University Scientific Research Projects Coordination Unit (BAP), Project No: 21.GAP.043.

This correction does not affect the scientific content, results, or conclusions of the article.

References

- [1] Güner Z, Köse HD. Evaluation of nanohardness, elastic modulus, and surface roughness of fluoride-releasing tooth colored restorative materials. *Journal of Clinical Pediatric Dentistry*. 2024; 48: 131–137.

How to cite this article: Zehra Güner, Hazal Deniz Köse. Correction: Evaluation of nanohardness, elastic modulus, and surface roughness of fluoride-releasing tooth colored restorative materials. *Journal of Clinical Pediatric Dentistry*. 2026; 50(2): 228–228. doi: 10.22514/jocpd.2026.052.